

Stylish on the Outside. Smart on the Inside.



THE **F&P ICON™ AUTO** DELIVERS:

- ThermoSmart™ Technology for more humidity and comfort
- Auto-adjusting pressure for personalized treatment during sleep
- SensAwake™ Technology is responsive to waking moments
- InfoSmart™ Technologies for flexible data communication options

PLUS

- Contemporary and stylish design for bedroom appeal
- Forward facing clock with customizable AlarmTunes™
- Compact footprint including humidifier and power supply
- Combined smart technologies.



Stylish on the Outside. Smart on the Inside.

The F&P ICON™ has been designed from the outside-in to answer the strong call for a contemporary, compact CPAP that blends seamlessly into any bedroom environment, helping to break down some of the traditional resistance associated with CPAP therapy.

Inside the F&P ICON™ is a comprehensive set of intelligent technologies, integrated into one stylish solution to deliver new levels of therapy, while effectively meeting your business needs. The smart technologies include:


- ThermoSmart™ – **more** humidity¹ for more comfort^{2,3}
- Auto-adjusting – **more** flexibility for short or long-term treatment needs
- SensAwake™ – **more** patient comfort during waking moments
- Integrated technologies – **more** opportunity for success and patient compliance.

The F&P ICON™ Auto

The flow-based auto-adjusting algorithm provides pressure when it is needed to meet the changing demands of the upper airway during sleep, while SensAwake™ provides a sophisticated form of pressure relief when the patient experiences awake states.⁴ A prompt reduction in pressure upon wakefulness aims to improve comfort and facilitate the return to sleep.

Auto-adjusting Pressure

The versatile Auto device can be used as a titration and long-term treatment solution for your patients. The flow-based auto-adjusting algorithm detects and effectively responds to flow limitation, hypopnea and apnea.




SensAwake™

Responsive to waking moments.



Patients commonly arouse from sleep which can sometimes lead to a full awakening. During these awake states, many patients are intolerant of the delivered pressure,⁵ which may force them to prematurely abandon CPAP therapy for the night. It is therefore important to provide as much comfort as possible during these awake states to help facilitate the return to sleep.

SensAwake™ does this by searching for a pattern of irregular breathing which occurs at the transition from sleep to awake, as shown in the flow signal below.⁴ SensAwake™ senses this irregularity in flow and promptly reduces the pressure to aid the transition back to sleep.⁴




ThermoSmart™

More humidity. More comfort.



ThermoSmart™ Technology includes an advanced humidification algorithm and a heated breathing tube, which both work to provide optimal humidity and reduce condensation. Patients will benefit from higher levels of humidity¹ for improved comfort^{2,3} and a clinically proven better night's sleep.³



1. Virag R. Sleep 2008; 31(S):1159 2. Almasri E & Kline LR. Sleep 2007; 30(S):0562 3. Nilius G et al. Eur Respir J 2008; 31:830-6

4. Ayappa I et al. Sleep 2009; 32(1):99-104 5. Englemann HM et al. Chest 1996; 109:1470-6

FOCUS ON FEATURES

Water Chamber

One-piece chamber. Holds 420 ml of water and is dishwasher safe.




Elbow

Used to connect a ThermoSmart™ or standard Breathing Tube to the device. The Elbow also rotates for a preferred position.



Chamber Lid

Must be correctly fitted for optimal pressure delivery and can also be used as a handle to carry the device.



Menu System

The Home Screen with a clock is the default display. Each point of the clock-face represents the available settings.



SmartDial™

Intuitive controls allow one-touch navigation of the Menu System, using a Press, Turn, Press principle.



Air Filter

Ensures the air is filtered from particles and dust.



SmartStick™ / USB Port

The USB Port houses the SmartStick™ to record patient compliance, efficacy and flow data.



AUTO CPAP | FEATURES

THE F&P ICON™ AUTO

INCLUDED WITH THE F&P ICON™	REPLACEMENT PARTS		PRODUCT SPECIFICATIONS			
<ul style="list-style-type: none">• Auto CPAP• 1 x Carry-case*• 1 x Water Chamber• 1 x Chamber Lid• 1 x Breathing Tube**• 1 x SmartStick™• 1 x SmartStick™ Mailer• 1 x Use and Care Manual• 1 x spare Air Filter	Water Chamber	900ICON200	Dimensions	6.3 x 6.7 x 8.7 in (160 x 170 x 220 mm)		
	SmartStick™	900ICON202	Weight	4.8 lb (2.2 kg) Packed Weight: 8.7 lb (4.0 kg)		
	SmartStick™ Net	900ICON203	Performance	Pressure Range: 4 to 20 cmH2O		
	Elbow	900ICON204	Noise Level	< 30 dBA		
	Outlet Seal	900ICON206	Standards Compliance	IEC60601-1: 1998, AS/NZS 3200.1.0: 1998, EN60601-1: 1990 + A1 - A2		
	ThermoSmart™ Breathing Tube	900ICON208	SmartStick™ Data Recording	The SmartStick™ records up to 365 days of summary compliance and efficacy data, 30 days of detailed efficacy data (AHI, Pressure, Leak), as well as cumulative data from first use.		
	Breathing Tube	900HC221				
	Air Filter	900ICON503				
	Filter Grill	900ICON218	Electrical Ratings	Rated Supply Voltage	Rated Current Input	Rated Supply Frequency
	Silver Gloss Lid	900ICON214				
	Matt Gray Lid	900ICON216				
	Protective Carry-case	900ICON308				
	Soft Carry-case	900ICON315				
	Use and Care Manual					
	3-Language	185046221				
17-Language	185045354					
Healthcare Provider CD	900ICON110					
F&P InfoSmart™ CD	900ICON100					
SmartStick Studio™ CD	900ICON112					

F&P ICON™ Models and Features Matrix

PERFORMANCE FEATURES	Auto	Premo	Novo
Fully integrated	•	•	•
ThermoSmart™ Technology**	•	•	•
Auto-Adjusting Pressure	•		
Efficacy Reporting	•	•	
Compliance Reporting	•	•	•
SmartStick™	•	•	•
SensAwake™	•		
Proportional Ramp	•	•	•
Auto-Altitude Adjusting	Automatic	Automatic	Manual
Leak Compensation	•	•	
Clock and AlarmTunes™	•	•	•
InfoSmart™ Technologies	Advanced	Advanced	Basic
PLUG TYPE	Auto	Premo	Novo
Australasia	ICONAAA	ICONPBA	ICONNAA
Europe	ICONAAE	ICONPBE	ICONNAE
United Kingdom	ICONAAK	ICONPBK	ICONNAK
North America	ICONAAN	ICONPBN	ICONNAN

* Part may vary depending on country

** In some countries the ThermoSmart™ Breathing Tube needs to be purchased as an accessory to activate ThermoSmart™ Technology

www.fphcare.com

フィッシャー & パイケルヘルスケア株式会社
〒103-0025 東京都中央区日本橋茅場町3-8-10 リベラ茅場町5F
FAX: 03-3661-7206 ご注文専用 FAX: 0800-100-7207
TEL: 03-3661-7205 (代表)

Manufacturer ■ Fisher & Paykel Healthcare Ltd, 15 Maurice Paykel Place, East Tamaki, Auckland 2013, PO Box 14 348, Panmure, Auckland 1741, New Zealand Tel: +64 9 574 0100 Fax: +64 9 574 0158
Email: info@fphcare.co.nz Web: www.fphcare.com **Australia** Fisher & Paykel Healthcare Pty Limited, 36-40 New Street, PO Box 167, Ringwood, Melbourne, Victoria 3134, Australia Tel: +61 3 9879 5022
Fax: +61 3 9879 5232 **Austria** Tel: 0800 29 31 23 Fax: 0800 29 31 22 **Benelux** Tel: +31 40 216 3555 Fax: +31 40 216 3554 **China** Tel: +86 20 3205 3486 Fax: +86 20 3205 2132 **France** Tel: +33 1 6446 5201
Fax: +33 1 6446 5221 **Germany** Tel: +49 7181 98599 0 Fax: +49 7181 98599 66 **India** Tel: +91 80 4284 4000 Fax: +91 80 4123 6044 **Irish Republic** Tel: 1800 409 011 **Italy** Tel: +39 06 7839 2939 Fax: +39 06 7814 7709
Japan Tel: +81 3 3661 7205 Fax: +81 3 3661 7206 **Northern Ireland** Tel: 0800 132 189 **Spain** Tel: +34 902 013 346 Fax: +34 902 013 379 **Sweden** Tel: +46 8 564 76 680 Fax: +46 8 36 63 10 **Switzerland** Tel: 0800 83 47 63
Fax: 0800 83 47 54 **Taiwan** Tel: +886 2 8751 1739 Fax: +886 2 8751 5625 **Turkey** Tel: +90 312 354 34 12 Fax: +90 312 354 31 01 **UK** ■ Fisher & Paykel Healthcare Ltd, Unit 16, Cordwallis Park, Clivemont Road,
Maidenhead, Berkshire SL6 7BU, UK Tel: +44 1628 626 136 Fax: +44 1628 626 146 **USA/Canada** Tel: 1800 446 3908 or +1 949 453 4000 Fax: +1 949 453 4001